


Helicoid Flighting and Shaftless Spirals









FLITECH®, established in 2003 as a Division of WAMGROUP®, is a global supplier of helicoid flighting and conveyor screws.

Behind FLITECH®'s high quality product range, which virtually suits any customer's requirements for a variety of industries and applications, stand WAMGROUP®'s more than 50 years of experience in screw conveyor technology.

Continuous investment in R&D over the years have led to highly innovative design solutions.

FLITECH® aims for a close partnership based on honesty and fairness with its customers. FLITECH® is able to offer its customers a 360-degree service in accordance with local culture and tradition.

Specialised in manufacturing helicoid flighting and shaftless spirals through innovative production processes, FLITECH® designs and manufactures inhouse a wide range of high quality products which meet the specific market requirements.

Thanks to a well-equipped stock of standard size spirals, it is possible to satisfy customer requirements in the shortest possible time.

To ensure the shipment of a product in good condition, all inventory is stored indoors.


Industries



Product Index


6	HELICOID FLIGHTING	
	SR-TYPE	8
	SH FLIHARD® 300 TYPE	8
	SG-TYPE	9
	SF-TYPE	10
	SS-TYPE	10
	SSC-TYPE	11
-11	SECTIONAL SCREW FLIG	HTS
	SE-TYPE	11
12	SCREWS (AUGERS)	
	СО-ТҮРЕ	14
	SINT® TYPE	15

Production Process




Shipping Warehouse Minimum Minimum Milmining The second second **Packaging**

SR-Type Helicoid Flighting






- Manufactured from carbon steel or 304/316 stainless steel
- Standard sizes available ex-stock; custom-built sizes on request
- Available with RH or LH pitch



Ø D (mm)	P (mm)	Ø d (mm)	Thickness Spp (mm)
From 50 to 900 mm	Up to 1/2 Ø D	For standard pipes (inch sizes)	From 3 to 20 mm




Helicoid Flighting Type SH FLIHARD® 300






- Heavy-duty helicoids, hardness 300 HB
- Standard sizes available ex-stock; custom-built sizes on request
- Available with RH or LH pitch



Ø D (mm)	P (mm)	Ø d (mm)	Thickness Spp (mm)
From 100 to 500 mm	Up to 1/2 D	For standard pipes (inch sizes)	From 3 to 10 mm




SG-Type Helicoid Flighting




- Manufactured from carbon steel or 304/316 stainless steel
- Standard sizes available ex-stock
- Available with RH or LH pitch






Ø D (mm)	P (mm)	Ø d (mm)	Thickness Spp (mm)
From 100 to 500 mm	Up to 1/2 D	For standard pipes (inch sizes)	From 3 to 15 mm




SF-Type Helicoid Flighting






- Manufactured from carbon steel or 304/316 stainless steel
- Standard sizes only available
- so Can be used with or without centre pipe
- a Available with RH or LH pitch




Ø D (mm)	P (mm)	Ø d (mm)	Thickness Spp (mm)
From 40 to 100 mm	Constant or variable pitch	From 20 to 60 mm	From 3 to 8 mm




SS-Type Helicoid Flighting






- Manufactured from Fe 510 or 304 SS
- Standard sizes available ex-stock; custom-built sizes on request
- Available with RH or LH pitch



Ø D (mm)	P (mm)	Ø d (mm)	Thickness Spp (mm)
Refer to specific product brochure	Constant or variable pitch	Refer to specific product brochure	On request




SSC-Type Shaftless Screws






- Manufactured from Fe 510 or 304/316 SS
- Standard sizes available
- **S** Can be used without centre pipe
- 5 RH or LH pitch available
- Available with drive transmission flange



Ø D (mm)	P (mm)	Ø d (mm)	Thickness Spp (mm)
From 150 to 600 mm	Constant or variable pitch	From 100 to 600 mm	From 15 to 40 mm



Sectional Screw Flights

SE-Type Sectional Screw Flights




- Manufactured from carbon steel or 304/316 stainless steel or Hardox® 400
- External diameter from 30 to 900 mm
- **5** Thickness SPP ≤ 25 mm
- Range: unlimited






Screws (Augers)

Production Processes





Mechanical Assembly

Straightening



Wear Protection






Balancing


Screws (Augers)

CO-Type Screws (Worm-On-Pipe)




- □ Manufactured from carbon steel or 304/316 SS
- **©** Custom-built
- 5 Supplied complete with shaft couplings on request
- ☐ Wide range of finishing available: MIG or TIG welding, painting, glass bead blasting, electro-polishing, anti-wear coating, tapered flight screws, balancing





Ø D (mm)	P (mm)	Ø d (mm)	Thickness Spp (mm)
On request	Constant or variable pitch	On request	On request




Screws (Augers)

SINT®-Type Screws (Worm-On-Pipe)



- □ SINT®ER or SINT®AL FDA-approved engineering polymer design
- Available in standard lengths with square or variable pitch, with cylindrical or negatively tapered centre pipe
- 5 Intermediate bearings and shaft couplings available on request





www.flitech.it

FLITECH S.r.I.

Via M. Biagi nr. 21 46025 - Poggio Rusco (MN) - Italy

Tel. +39 0386 522911 Fax +39 0386 522912 info@flitech.it www.flitech.it











